

4-Shelf Wire Shelving

P1-1~7



Wire shelving is a heavy duty storage solution for a variety of functions, including household organization, retail merchandising, commercial storage, and warehouse bulk inventory.





4- Shelf Wire Shelving

• Material:

- Carbon Steel 3.5mm~6.3mm wire rod
- Stainless# 304 3.5mm ~ 6.3mm wire rod
- 1"(25.4mm) Adjustable Post by 1" increment

• Feature:

- Hi-Tech look, Easy adjustment & assembly,
- Max ventilation & Min. dust accumulation
- Load Capacity: 272kgs(600lbs) per shelf
- Each 4 shelf unit : 1090 Kgs (2400 lbs)

• Application:

- Food service, Hotel, Hospital, Air Kitchen,
- School, Laboratory, Bio-Tech, Electronic Tech,
- Clean room furnishing, Commercial Display


• NSF Approval



Model: S4-2448C63



Shelf Type	Finish	Application
C-type	Chrome plated	display, commercial furnishing
Z-Ttpe	Zinc Plated	dry storage & furishing
B-type	Balck Epoxy	dry storage
NC-type	Poly-chrome	dry sotrage , walk-in cooler
NP-type	Green Seal	dry sotrage , walk-in cooler
S-type	Stainless #304	display,walk-in cooler,cleanroom



Width(In.)	Length(In.)	Chrome	Zinc	Black Epoxy	Poly-Chrome	Green-Seal	Stainless#304
With 63" height post							
18	36	S4-1836C63	S4-1836Z63	S4-1836B63	S4-1836NC63	S4-1836NP63	S4-1836S63
18	48	S4-1848C63	S4-1848Z63	S4-1848B63	S4-1848NC63	S4-1848NP63	S4-1848S63
18	60	S4-1860C63	S4-1860Z63	S4-1860B63	S4-1860NC63	S4-1860NP63	S4-1860S63
18	72	S4-1872C63	S4-1872Z63	S4-1872B63	S4-1872NC63	S4-1872NP63	S4-1872S63
24	36	S4-2436C63	S4-2436Z63	S4-2436B63	S4-2436NC63	S4-2436NP63	S4-2436S63
24	48	S4-2448C63	S4-2448Z63	S4-2448B63	S4-2448NC63	S4-2448NP63	S4-2448S63
24	60	S4-2460C63	S4-2460Z63	S4-2460B63	S4-2460NC63	S4-2460NP63	S4-2460S63
24	72	S4-2472C63	S4-2472Z63	S4-2472B63	S4-2472NC63	S4-2472NP63	S4-2472S63
With 74" height post							
18	36	S4-1836C74	S4-1836Z74	S4-1836B74	S4-1836NC74	S4-1836NP74	S4-1836S74
18	48	S4-1848C74	S4-1848Z74	S4-1848B74	S4-1848NC74	S4-1848NP74	S4-1848S74
18	60	S4-1860C74	S4-1860Z74	S4-1860B74	S4-1860NC74	S4-1860NP74	S4-1860S74
18	72	S4-1872C74	S4-1872Z74	S4-1872B74	S4-1872NC74	S4-1872NP74	S4-1872S74
24	36	S4-2436C74	S4-2436Z74	S4-2436B74	S4-2436NC74	S4-2436NP74	S4-2436S74
24	48	S4-2448C74	S4-2448Z74	S4-2448B74	S4-2448NC74	S4-2448NP74	S4-2448S74
24	60	S4-2460C74	S4-2460Z74	S4-2460B74	S4-2460NC74	S4-2460NP74	S4-2460S74
24	72	S4-2472C74	S4-2472Z74	S4-2472B74	S4-2472NC74	S4-2472NP74	S4-2472S74



4- Shelf Solid Shelving

• Material:

- Stainless#304, #430 and galvanized steel are 1.2mm thick
- A surface of stainless by bright or hair line polish, and 1"(25.4mm) post by #400 polish

• Feature:

- Flip-Tech look, Easy adjustment & assembly,
- Load Capacity: 250kg (550 lb) per shelf
- MW-Type 150 kg per shelf
- Each 4 shelf unit : 1000 kg (2200 lb)

• Application:

- Food service, Hotel, Hospital, Air Kitchen,
- School, Laboratory, Bio-Tech, Electronic Tech,
- Clean room furnishing, Commercial Display

• NSF Approval



Model: S4-2436SD63



Shelf Type	finish	Application
SD-Type	Stainless#304	food & hospital service
SG -Type	Galvanized	walkin cooler or dry storage
SP-Type	Perforated #304	Cleanroom
MSD-Type	Stainless#430	food & hospital service
BD-Type	Black Epoxy	dry storage
WM-Type	Maple laminate	Home or commercial display

SP-Type



Width (In.)	Length (In.)	SD-Type SUS#304	SG-Type Galvanized	MSD-Type #430 Stainless	SP-Type #304 Perforated	WID-Type #304-1"Edge
With 63" height post						
18	36	S4-1836SD63	S4-1836SG63	S4-1836MSD63	S4-1836SP63	S4-1836D63
18	48	S4-1848SD63	S4-1848SG63	S4-1848MSD63	S4-1848SP63	S4-1848D63
18	60	S4-1860SD63	S4-1860SG63	S4-1860MSD63	S4-1860SP63	S4-1860D63
18	72	S4-1872SD63	S4-1872SG63	S4-1872MSD63	S4-1872SP63	S4-1872D63
With 74" height post						
24	36	S4-2436SD63	S4-2436SG63	S4-2436MSD63	S4-2436SP63	S4-2436D63
24	48	S4-2448SD63	S4-2448SG63	S4-2448MSD63	S4-2448SP63	S4-2448D63
24	60	S4-2460SD63	S4-2460SG63	S4-2460MSD63	S4-2460SP63	S4-2460D63
24	72	S4-2472SD63	S4-2472SG63	S4-2472MSD63	S4-2472SP63	S4-2472D63
With 74" height post						
18	36	S4-1836SD74	S4-1836SG74	S4-1836MSD74	S4-1836SP74	S4-1836D74
18	48	S4-1848SD74	S4-1848SG74	S4-1848MSD74	S4-1848SP74	S4-1848D74
18	60	S4-1860SD74	S4-1860SG74	S4-1860MSD74	S4-1860SP74	S4-1860D74
18	72	S4-1872SD74	S4-1872SG74	S4-1872MSD74	S4-1872SP74	S4-1872D74
With 74" height post						
24	36	S4-2436SD74	S4-2436SG74	S4-2436MSD74	S4-2436SP74	S4-2436D74
24	48	S4-2448SD74	S4-2448SG74	S4-2448MSD74	S4-2448SP74	S4-2448D74
24	60	S4-2460SD74	S4-2460SG74	S4-2460MSD74	S4-2460SP74	S4-2460D74
24	72	S4-2472SD74	S4-2472SG74	S4-2472MSD74	S4-2472SP74	S4-2472D74



Shelf Unit

Wire Shelf

- **Material:**
 - Carbon Steel 3.5mm~6.3mm wire rod
 - Stainless# 304 3.5mm ~ 6.3mm wire rod

- **Feature:**
 - Hi-Tech look, Easy adjustment & assembly,
 - Max ventilation & Min. dust accumulation
 - Load Capacity: 272kgs(600lbs) per shelf



C-Type



- **NSF Approval**




Width(In.)	Length(In.)	Chrome	Zinc	Black Epoxy	Poly-Chrome	Green-Seal	Stainless#304
18	36	S4-1836C63	S4-1836Z63	S4-1836B63	S4-1836NC63	S4-1836NP63	S4-1836S63
18	48	S4-1848C63	S4-1848Z63	S4-1848B63	S4-1848NC63	S4-1848NP63	S4-1848S63
18	60	S4-1860C63	S4-1860Z63	S4-1860B63	S4-1860NC63	S4-1860NP63	S4-1860S63
18	72	S4-1872C63	S4-1872Z63	S4-1872B63	S4-1872NC63	S4-1872NP63	S4-1872S63
24	36	S4-2436C63	S4-2436Z63	S4-2436B63	S4-2436NC63	S4-2436NP63	S4-2436S63
24	48	S4-2448C63	S4-2448Z63	S4-2448B63	S4-2448NC63	S4-2448NP63	S4-2448S63
24	60	S4-2460C63	S4-2460Z63	S4-2460B63	S4-2460NC63	S4-2460NP63	S4-2460S63
24	72	S4-2472C63	S4-2472Z63	S4-2472B63	S4-2472NC63	4-2472NP63	S4-2472S63

Solid Shelf

- **Material:**
 - Stainless#304, #430 and galvanized steel are 1.2mm thick
 - A surface of stainless by bright or hair line polish.

- **Feature:**
 - Load Capacity: 250kg (550 lb) per shelf
 - MW-Type 150 kg per shelf



SP-Type



- **NSF Approval**



Solid Shelf Unit

Width	Length	Type&Finish		SD-Type	SG-Type	MSD-Type	SP-Type	WID-Type
		SUS#304	Galvanized	#430 Stainless	#304 Perfora	#304-1"Edge		
18	36	S1836SD	S1836SG	S1836MSD	S1836SP	S1836WID		
18	48	S1848SD	S1848SG	S1848MSD	S1848SP	S1848WID		
18	60	S1860SD	S1860SG	S1860MSD	S1860SP	S1860WID		
18	72	S1872SD	S1872SG	S1872MSD	S1872SP	S1872WID		
24	36	S2436SD	S2436SG	S2436MSD	S2436SP	S2436WID		
24	48	S2448SD	S2448SG	S2448MSD	S2448SP	S2448WID		
24	60	S2460SD	S2460SG	S2460MSD	S2460SP	S2460WID		
24	72	S2472SD	S2472SG	S2472MSD	S2472SP	S2472WID		

1" Post

For wire shelves & solid shelves, posts are grooved at 1" increments and double grooved every 8" for easy identification



Type&Finish	C-Type	Z-Type	NC-Type	B-Type	NP-Type	MS-Type	S-Type
Height	Chrome	Zinc	Poly Chrome	Black Epoxy	Green Seal	Stainless 430	Stainless 304
63"	P63C	P63Z	P63NC	P63B	P63NP	P63MS	P63S
74"	P74C	P74Z	P74NC	P74B	P74NP	P74MS	P74S

4-Shelf Home Wire Shelving

P1-5

Wire shelving is functional, affordable, and space efficient. It's the preferred choice of many businesses and homeowners. Plus, it comes in a variety shapes, sizes, and colors to suit individual needs and personalities.





4- Shelf Home Wire Shelving & Unit Shelf

- **Material:**

- Carbon steel 3.5 mm~6.3 mm wire rod
- 1" (25.4 mm) adjustable post by 1" increment

- **Finish:**

- Chrome plated with clear epoxy (LNC type), black epoxy (LB type), maple laminated (WM type)
- WM type with maple laminated top and steel frame support bottom side.

- **Feature:**

- Knock down design, easy adjustment & assembly.
- Max. air ventilation & min dust accumulation.
- Flexibility space application & storage.
- Load capacity: 135 kg (300 lb) per shelf
- Each 4shelf unit: 540 kg (1200 lb)

- **Application:**

- Home furnishing, garage storage, personal working office and kitchen utility, living room furnishing, commercial display.

Wire Shelving

Width(In.)	Length(In.)	LB-type Black Epoxy	LNC-type Poly-Chrome	WM-type Maple laminated
With 63" height post				
14	36	LS4-1436B63	LS4-1436NC63	LS4-1436WM63
14	48	LS4-1448B63	LS4-1448NC63	LS4-1448WM63
18	36	LS4-1836B63	LS4-1836NC63	LS4-1836WM63
18	48	LS4-1848B63	LS4-1848NC63	LS4-1848WM63
With 74" height post				
14	36	LS4-1436B74	LS4-1436NC74	LS4-1436WM74
14	48	LS4-1448B74	LS4-1448NC74	LS4-1448WM74
18	36	LS4-1836B74	LS4-1836NC74	LS4-1836WM74
18	48	LS4-1848B74	LS4-1848NC74	LS4-1848WM74



Unit shelf

Width(In.)	Length(In.)	LB-type Black Epoxy	LNC-type Poly-Chrome	WM-type Maple laminated
14	36	LS1436B	LS1436NC	LS1436WM
14	48	LS1448B	LS1448NC	LS1448WM
18	36	LS1836B	LS1836NC	LS1836WM
18	48	LS1848B	LS1848NC	LS1848WM